



**STRIM-SK**

INNOVATIVE SUCCESS  
FOR ALL TIME

**GRASO**<sup>®</sup>  
**BIOTECH**



# FOOD TESTING

## CULTURE MEDIA

For Professionals

[mail@strim.sk](mailto:mail@strim.sk)

## CULTURE MEDIA

|  | ref. no.  | packaging  | volume  |
|--|---|--|---|
| ISO 4833-1:2013 Microbiology of the food chain   |   |  |   |
| - Horizontal method for the enumeration of microorganisms                              |   |  |   |
| - Part 1: Colony count at 30 °C by the pour plate technique                            |   |  |   |
| ISO 4833-2:2013 Microbiology of the food chain   |   |  |   |
| -Horizontal method for the enumeration of microorganisms                               |   |  |   |
| - Part 2: Colony count at 30 °C by the surface plating technique                       |   |  |   |
| <b>PCA</b>   | 3533BT100<br>3533BT200<br>3533BT500<br>1342PD90             | bottle<br>bottle<br>bottle<br>10 plates          | 100<br>ml<br>200<br>ml<br>500                         |
| ISO 6579-1:2017 Microbiology of the food chain   |   |  |   |
| - Horizontal method for the detection, enumeration and serotyping of <i>Salmonella</i> |   |  |   |
| - Part 1: Detection of <i>Salmonella</i> spp.  |   |  |   |
| <b>Buffered Peptone Water</b>  | 3043BT100<br>3043BT200<br>3043BT225<br>3043BT500<br>6019TB9 | bottle<br>bottle<br>bottle<br>bottle<br>50 tubes | 100 ml<br>200 ml<br>225 ml<br>500 ml<br>9 ml<br>10 ml |
| <b>RVS Broth acc. ISO 6579</b>   | 6011TB10  | 50 tubes   | 10 ml<br>200 ml                                       |
| <b>MKTn Broth</b>  | 6092TB10  | 50 tubes   | 90 mm<br>90 mm  |
| <b>XLD Agar acc. ISO 6579</b>  | 3091BT200<br>8013PD90                                       | bottle<br>10 plates                              | 7 ml<br>7 ml<br>100 ml                                |
| <b>Nutrient Agar acc. ISO 6579</b>   | 1526PD90  | 10 plates  | 200 ml<br>3 ml  |
| <b>Urea Agar acc. ISO 6579</b>   | 6205TB7   | 50 tubes   | 100 ml<br>200 ml                                      |
| <b>TSI Agar (Triple Sugar Iron) acc. ISO 6579</b>                                      | 8015TB7   | 50 tubes   | 90 mm<br>100 ml<br>200 ml                             |
| <b>Indol Medium (tryptone-tryptophane)</b>   | 3550BT100<br>3550BT200<br>6144TB3                           | bottle<br>bottle<br>50 tubes                     | 500 ml<br>90 mm                                       |
| <b>CHROMagar Salmonella PLUS</b>   | 3556BT100<br>3556BT200<br>1421PD90                          | bottle<br>bottle<br>10 plates                    |   |
| <b>MSRV Medium acc. ISO 6579</b>   | 3085BT100<br>3085BT200<br>3085BT500                         | bottle<br>bottle<br>bottle                       |   |
| <b>Bismuth Sulphite Agar (Wilson Blair)</b>  | 1040PD90  | 10 plates  |   |

## CULTURE MEDIA

|  | ref. no.   | packaging  | volume                                      |
|--|--|--|---|
| <b>ISO 11290-1:2017 Microbiology of the food chain</b>   |  |  |   |
| - Horizontal method for the detection and enumeration of <i>Listeria monocytogenes</i> and of <i>Listeria</i> spp. |  |  |   |
| - Part 1: Detection method;  |  |  |   |
| <b>ISO 11290-2:2017 Microbiology of the food chain</b>   |  |  |   |
| - Horizontal method for the detection and enumeration of <i>Listeria monocytogenes</i> and of <i>Listeria</i> spp. |  |  |   |
| - Part 2: Enumeration method   |  |  |   |
| <b>Fraser Broth acc. ISO 11290</b>   | 3001BT100<br>3001BT200<br>3001BT500<br>6006TB10            | bottle<br>bottle<br>bottle<br>50 tubes           | 100 ml<br>200 ml<br>500 ml<br>10 ml         |
| <b>Semi (Half) Fraser Broth acc. ISO 11290</b>   | 3005BT225  | bottle   | 225 ml                                      |
| <b>ALOA acc. Ottaviani &amp; Agosti acc. ISO 11290</b>   | 6007TB10<br>1343PD90                                       | 50 tubes<br>10 plates                            | 10 ml<br>90 mm                              |
| <b>Oxford Agar</b>   | 1343PD140<br>1292PD90                                      | 5 plates<br>10 plates                            | 140 mm<br>90 mm                             |
| <b>Palcam Agar</b>   | 1502PD90   | 10 plates  | 90 mm                                       |
| <b>Blood Agar acc. ISO 11290</b>   | 1197PD90   | 10 plates  | 90 mm                                       |
| <b>TSYEA acc. ISO 11290</b>  | 1019PD90   | 10 plates  | 90 mm                                       |
| <b>ISO 10272-1:2017 Microbiology of the food chain</b>   |  |  |   |
| - <u>Horizontal method for detection and enumeration of <i>Campylobacter</i> spp.</u>                              |  |  |   |
| - Part 1: Detection method   |  |  |   |
| <b>Bolton Broth acc. ISO 10272</b>   |  |  |   |
| <b>Preston Broth acc. ISO 10272</b>  | 3412BT90   | bottle   | 90 ml                                       |
| <b>mCCD Agar acc. ISO 10272</b>  | 3413BT90   | bottle   | 90 ml                                       |
| <b>Columbia Agar + 5% Sheep Blood acc. ISO 10272</b>   | 1008PD90<br>1182PD90                                       | 10 plates<br>10 plates                           | 90 mm<br>90 mm                              |
| <b>ISO 4831:2007 Microbiology of food and animal feeding stuffs</b>  |  |  |   |
| - Horizontal method for the detection and enumeration of coliforms   |  |  |   |
| - Most probable number technique   |  |  |   |
| <b>0,85% NaCl Pepton Solution</b>  | 3531BT90<br>3531BT100<br>3531BT200<br>3531BT500<br>6315TB9 | bottle<br>bottle<br>bottle<br>bottle<br>50 tubes | 90 ml<br>100 ml<br>200 ml<br>500 ml<br>9 ml |
| <b>BGB Broth (2%) acc. ISO 4831 and 4832</b>   | 6314TB5S   | 50 tubes   | 5 ml  |
| <b>Lauryl Sulphate Broth acc. ISO 4831 and 7251</b>  | 6025TB10   | 50 tubes   | 10 ml                                       |

## CULTURE MEDIA

|   | ref. no.  | packaging | volume     |
|---|-----------|-----------|------------|
| ISO 4832:2007 Microbiology of food and animal feeding stuffs  |           |           |            |
| - Horizontal method for the enumeration of coliforms - Colony-count technique                       |           |           |            |
| <b>VRBL Agar</b>  | 3046BT100 | bottle    | 100 ml     |
|   | 3046BT200 | bottle    | 200 ml     |
| <b>BGB Broth (2%) acc. ISO 4831 and 4832</b>  | 6314TB5S  | 50 tubes  | 5 ml       |
| ISO 16649-2:2004 Microbiology of food and animal feeding stuffs                                     |           |           |            |
| - Horizontal method for the enumeration of beta-glucuronidase-positive <i>Escherichia coli</i>      |           |           |            |
| - Part 2: Colony-count technique at 44°C using 5-bromo-4-chloro-3-indolyl beta-D-glucuronide        |           |           |            |
| <b>TBX Agar</b>   | 3522BT100 | bottle    | 100 ml     |
|   | 3522BT200 | bottle    | 200 ml     |
| ISO 21528-1:2017 Microbiology of the food chain   |           |           |            |
| - Horizontal method for the detection and enumeration of <i>Enterobacteriaceae</i>                  |           |           |            |
| - Part 1: Detection of <i>Enterobacteriaceae</i>  |           |           |            |
| <b>Buffered Peptone Water</b>   | 3043BT100 | bottle    | 100 ml     |
|   | 3043BT200 | bottle    | 200 ml     |
|   | 3043BT225 | bottle    | 225 ml     |
|   | 3043BT500 | bottle    | 500 ml     |
|   | 6019TB9   | 50 tubes  | 9 ml       |
| <b>VRBG Agar acc. ISO 21528</b>   | 3006BT100 | bottle    | 100 ml     |
| <b>Nutrient Agar acc. ISO 21528</b>   | 3006BT200 | bottle    | 200 ml     |
| <b>Glucose OF Medium acc. ISO 21528</b>   | 1522PD90  | 10 plates | 90 mm      |
|   | 6139TB5   | 50 tubes  | 5 ml       |
| ISO 6888-1:2022 Microbiology of the food chain - Horizontal method for the enumeration              |           |           |            |
| of coagulase-positive staphylococci ( <i>Staphylococcus aureus</i> and other species)               |           |           |            |
| - Part 1: Method using Baird-Parker agar medium   |           |           |            |
| <b>Baird Parker Agar base</b>   | 3082BT100 | bottle    | 100 ml     |
|   | 3082BT200 | bottle    | 200 ml     |
|   | 3082BT500 | bottle    | 500 ml     |
| <b>Baird Parker Agar (BPA) acc. ISO 6888 and 22718</b>  | 1320PD90  | 10 plates | 90 mm      |
| ISO 6888-2:2022 Microbiology of the food chain - Horizontal method for the determination            |           |           |            |
| of the number of coagulase-positive staphylococci ( <i>Staphylococcus aureus</i> and other species) |           |           |            |
| - Part 2: Method using rabbit plasma agar medium and fibrinogen                                     |           |           |            |
| <b>RPFA Medium acc. ISO 6888-2</b>  | 1321PD90  | 10 plates | 90 mm      |
| <b>RPFA Medium acc. ISO 6888-2 (90 ml + 10 ml)</b>  | 3226BT90  | bottle    | 90 + 10 ml |

## CULTURE MEDIA


| ref. no.   | packaging                                       | volume                                  |
|--|---|---|
| ISO 15213-1:2023-08 Microbiology of food and animal feeding stuffs   |   |   |
| - Horizontal method for the enumeration of <i>Clostridium</i> spp.   |   |   |
| - Part 1: Enumeration of sulphate -reducing <i>Clostridium</i> spp. by colony counting   |   |   |
| <b>Iron Sulphite Agar acc. ISO 15213</b>   | 3097BT100<br>3097BT200                          | bottle<br>bottle                        |
|  |   | 100<br>ml<br>200                        |
| <b>Columbia Agar + 5% Sheep Blood</b>  | 1190PD90  | 10 plates                               |
|  |   | ml 90<br>mm                             |
| ISO 15213-2:2024-05 Microbiology of food and animal feeding stuffs Microbiology of the food chain - Horizontal method for detection and enumeration of <i>Clostridium</i> spp. |   |   |
| - Part 2: Enumeration of <i>Clostridium perfringens</i> by colony counting   |   |   |
| <b>TSC Agar acc. ISO 14189 and 15213-2</b>   | 3081BT100<br>3081BT200                          | bottle<br>bottle                        |
|  |   | 100<br>ml<br>200                        |
| <b>Columbia Agar + 5% Sheep Blood</b>  | 1190PD90  | 10 plates                               |
|  |   | ml 90<br>mm                             |
| ISO 15214:2002 Microbiology of food and animal feeding stuffs  |   |   |
| - Horizontal method for the enumeration of mesophilic lactic acid bacteria   |   |   |
| - Colony-count technique at 30°C   |   |   |
| <b>MRS Agar acc. ISO 15214</b>   | 3029BT100<br>3029BT200<br>1512PD90              | bottle<br>bottle<br>10 plates           |
|  |   | 100<br>ml<br>200<br>ml 90               |
| ISO 7954:1999 Microbiology. General guidance for enumeration of yeasts and moulds  |   |   |
| - Colony count technique at 25°C.; replaced by ISO 21527-1:2009  |   |   |
| <b>YGC Agar acc. ISO 7954</b>  | 3088BT100<br>3088BT200<br>3088BT500<br>8036PD90 | bottle<br>bottle<br>bottle<br>10 plates |
|  |   | 100<br>ml<br>200<br>ml<br>500           |
| ISO 21527-1:2009 Microbiology of food and animal feeding stuffs  |   |   |
| - Horizontal method for the enumeration of yeasts and moulds   |   |   |
| - Part 1: Colony count technique in products with water activity greater than 0,95   |   |   |
| <b>DRBC Agar</b>   | 3230BT100<br>3230BT200<br>1508PD90              | bottle<br>bottle<br>10 plates           |
|  |   | 100<br>ml<br>200<br>ml 90               |
| ISO 21527-2:2009 Microbiology of food and animal feeding stuffs  |   |   |
| - Horizontal method for the enumeration of yeasts and moulds   |   |   |
| - Part 2: Colony count technique in products with water activity less than or equal to 0,95  |   |   |
| <b>DG-18 Agar</b>  | 3087BT100<br>3087BT200<br>1115PD90              | bottle<br>bottle<br>10 plates           |
|  |   | 100<br>ml<br>200<br>ml 90               |
|  |   | mm                                      |

## CULTURE MEDIA

|   | ref. no. | packaging | volume |
|---|----------|-----------|--------|
| ISO 7932:2005 Microbiology of food and animal feeding stuffs                  |          |           |        |
| - Horizontal method for the enumeration of presumptive <i>Bacillus cereus</i> |          |           |        |
| - Colony-count technique at 30 °C   |          |           |        |
| <b>MYP Agar acc. ISO 7932</b>   | 8041PD90 | 10 plates | 90 mm  |
| ISO 13720:2010 Meat and meat products   |          |           |        |
| - Enumeration of presumptive <i>Pseudomonas</i> spp.                          |          |           |        |
| <b>Pseudomonas CFC Agar acc. ISO 13720</b>                                    | 1311PD90 | 10 plates | 90 mm  |







# STRIM-SK

INOVATIVE SUCCESS  
FOR ALL TIME

mail@strim.sk

**GRASO**  
BIOTECH®

Edition 2024